

# Surface drainage solutions from **HAURATON**

Extensive range for linear drainage  
and rainwater treatment



# Benefits of **RECYFIX**® Channels

## **RECYFIX**®

= a high-quality recycled composite



The FIBRETEC Slotted grating was awarded the international design award Focus Open 2010 and nominated for the German Design Award.



## **low weight ensures easy handling on site**



- much lighter than channels made of polymere concrete
- easy transport and installation

## **high security**



- Certified according EN 1433

## **high resistance**



- high chemical resistance against aggressive liquids
- high resistance against freeze and de-icing salt
- 100% UV-resistant

**100% corrosion-free**

## **high stability**

- channels are extremely tough, can be packed, transported and transferred with ease

## **durability**

- Polypropylene (PP) reacts very slow on weathering such as air, light, wind, dust and therefore is extremely durable

## **ecological and sustainable material**

- RECYFIX channels are made of 100% recycled Polypropylene (PP) and this is very environmentally friendly

**RECYFIX**® channels meet the requirement of European Standard EN 1433 (drainage channels)

## Welcome at one of the leaders worldwide in drainage

### Innovative drainage products from

HURATON make sure that water flows away in proper courses and that buildings remain safe all over the world. We have been developing and producing solutions for surface drainage over 60 years, and distribute them worldwide with great success. Our strengths are the flexibility and individuality of a family-owned company with short lines of decision making and a consistent market orientation.

### HAURATON locations



## Some figures from the HURATON world

FOUNDED  
IN

**1956**



**1,800**

KM OF CHANNELS  
INSTALLED IN  
2015

This corresponds to the distance from Rastatt to Madrid



**EMPLOYEES  
WORLDWIDE**

**18,500**

KM LINEAR  
DISTANCE

18,500 KM as the crow flies to our most faraway project in New Zealand



**73** COUNTRIES  
WORLDWIDE

### Locations and partners all over the world



### HAURATON Export Team





## CIVILS

Airports  
 Container terminals  
 Circuits and test tracks  
 Traffic areas for industry  
 Petrol stations  
 Car parks



 Category D 400,  
 Load class 400 kN

 Category E 600,  
 Load class 600 kN

 Category F 900,  
 Load class 900 kN

## LANDSCAPING

Squares and parks  
 Railway platform  
 Private and public areas  
 Terraces  
 Gardens



 Category A 15,  
 Load class 15 kN

 Category B 125,  
 Load class 125 kN

 Category C 250,  
 Load class 250 kN

## AQUA

Industrial areas  
 Public square  
 City centres  
 Roads and tunnels  
 Car parking



## SPORT

Sport fields  
 Stadiums  
 Running tracks



## RECYFIX®HICAP®F

Linear drainage for extreme conditions with high hydraulically requirements.



**F 900**

- high capacity drainage channel
- suitable for heavy load areas
- no expensive crane or machine hours for installation required

## RECYFIX®NC

Highly stable and lightweight - linear drainage made of PP for Civils engineering.



**E 600**

- Extremely stable and lightweight - channels made of PP for civil engineering
- High stability with durable ductile iron grating (8-fold bolted)
- Low weight ensures easy handling on site
- prefabricated ready to install

## RECYFIX®PLUS X

Linear drainage with edge protection for areas with higher traffic volume.



**D 400**

- highly stable
- the steel edge means it is easier to use on many applications including tarmac and also adds to the aesthetics
- an extensive range of channels and gratings up to 300 mm wide gives flexibility in design

## RECYFIX®MONOTEC

Monolithic drainage system for heavily frequented traffic areas.



**D 400**

- monolithic channel for maximum security
- high hydraulic capacity through slim channel construction
- durable and unbreakable



## RECYFIX®PRO

Corrosion-free linear drainage for private and public areas.



C 250

- Channel made of PP and grating made of high-quality PA-GF (Polyamide)
- drainage system according EN 1433
- lightweight, robust and easy to install


## RECYFIX®PLUS

Linear drainage channels with a sophisticated look for public and commercial areas.



C 250

- highly stable
- the steel edge means it is easier to use on many applications including tarmac and also adds to the aesthetics
- an extensive range of channels and gratings up to 300 mm wide gives flexibility in design



## RECYFIX® STANDARD

Linear drainage channels for public and commercial areas.



C 250

- made from recycled polypropylene making it environmentally friendly
- high resistance against frost and road salt
- very light which makes it quick and easy to install


## SLOTTED CHANNEL

Slotted channels for design-sensitive applications.



C 250

- cover only as thin line visible making it environmentally friendly
- allows the design of a project in a common optic
- easy access to the channels through an access cover





## TOP X

The drainage channel for private driveways, courtyards, patios and gardens.

- perfect for drives, garages and gardens
- easy to transport and quick to install
- end caps and installation advice make a complete system

## RECYFIX® GREEN

Turf honeycomb for infiltration of rainwater in parking areas.

- the product is light and strong making it quick and easy to install
- helps to directly drain the rainfall
- the product when laid gives more than 90 % of the area to turf



## AQUAFIX®SEPARATOR

Modern separation technology for sustainable preservation of vital resources.

- highest cleaning performances
- modern materials for all demands
- up to NS 250 l/sec

## SPORTFIX®

The drainage range for stadiums and sport facilities.

- a bespoke system with easy design and high strength for track and field drainage
- water jump, longjump, sand traps and soft kerb compliment the track drainage
- all products are manufactured to the standards set out by the IAAF





**HAURATON GmbH & Co. KG**

Werkstraße 13

76437 Rastatt

Germany

Tel. +49 7222 958 0

Fax +49 7222 958 222

[export@hauraton.com](mailto:export@hauraton.com)

[www.hauraton.com](http://www.hauraton.com)